

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13 2	389	710/56.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 12:42
S13 1	463	711/171.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 12:42
L5	940	710/56,310.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 12:42
L4	551	711/171.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 12:42
S36	458470	709/203, "212", "228", "238".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 12:41
L3	10900	709/203,212,228,238.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 12:41
S24 0	173	S239 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 10:07
L2	173	L1 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 10:07
L1	386	((different near3 size\$2) with buffers) and align\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/21 10:07
S23 9	386	((different near3 size\$2) with buffers) and align\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 16:52
S23 7	117	S236 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 16:52

EAST Search History

		(numa (non-uniform adj memory adj access\$4) (non adj uniform adj memory adj access\$4)dma)) and (read write) and asynchronous\$4) and (request\$4) and ((memory near3 address\$2) (memory near3 location\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 16:51
S23 8	101	S237 not S233	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 14:42
S23 6	273	((different varies) with sizes with buffer\$2) with (client node device) and ((different varies) with sizes with buffer\$2) with (server host node device))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 14:41
S23 2	403	S230 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 14:41
S23 3	84	S232 and alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 14:39
S23 5	1	S234 and buffer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 11:12
S23 4	1	"20020013821"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 11:12
S23 1	1258520	"52" and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 11:02
S22 9	52	S228 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 11:02
S23 0	892	different near4 sizes near4 buffers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 11:01
S22 8	199	S227 and alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:58

EAST Search History

S22 7	602	(host near3 buffer\$2) and (local near3 buffer\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:58
S22 6	70	S225 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:58
S22 1	747	(client near3 buffer\$2) and (server near3 buffer\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:57
S22 5	116	S224 not S222	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:55
S22 4	117	S223 and alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:55
S22 3	1903	(client near3 cache) and (server near3 cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:55
S21 8	34	S217 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:55
S22 2	28	S221 and alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:50
S22 0	41	S217 not S218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:49
S21 9	75	S217 not 18]	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:26
S21 7	75	((buffer\$2 near4 size\$2) same alignment) same (server client device host node)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:18
S20 8	114	S207 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:18

EAST Search History

S21 6	269	(buffer\$2 near4 size\$2) same alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:17
S21 0	38	S209 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 10:10
S21 5	1	S214 and buffer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:59
S21 4	1	"5761417".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:59
S21 3	0	"5761417.pn"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:59
S21 2	0	"5761417.pn"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:58
S21 1	0	"5761417.pn" and buffer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:58
S20 9	93	(((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4) and (data near3 block\$2)) and (read write)) and (buffer\$2 same match\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:53
S20 2	87	S201 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:53
S97	72	(((((transfer\$4 transmit\$5) and (server near3 buffer\$2) and ((client user computer) near3 buffer\$)) and ((control near3 (information data address\$2)) (memory near3 address\$2))) and request\$4) and (data near3 block\$2)) and (read write)) and (buffer\$2 same match\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:53

EAST Search History

S20 7	240	((different near3 size\$2) near5 (buffer cache)) and alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:09
S20 6	5	((different near3 size\$2) near5 (buffer cache)) same alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:09
S20 5	1401	(different near3 size\$2) near5 (buffer cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:07
S20 4	1654	(different near5 (buffer\$2 cache\$2) near5 size\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:06
S20 3	2978	different with (buffer\$2 cache\$2) with size\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:06
		(different near5 (buffer\$2 cache\$2) near5 size\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 09:06
S20 1	187	size\$2 with buffer\$2 with alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 08:53
S20 0	87	S199 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/19 08:53
S19 5	30	S194 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:37
S19 9	187	size\$2 with buffer\$2 with alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:36
S19 8	3	(different near3 size\$2) with buffer\$2 with alignment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:36
S19 7	121	S191 not S192	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:35

EAST Search History

S19 1	195	buffer\$2 same size\$2 same alignment\$2 same (more than)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:31
S19 6	47	S194 not S195	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:28
S19 4	77	cach\$2 same size\$2 same alignment\$2 same (more than)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:28
S19 3	77	cach\$2 same size\$2 same alignment\$2 same (more than)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:02
S19 2	74	S191 and @ad<="20000607"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 16:02
S19 0	18	buffer\$2 with size\$2 with alignment\$2 with (more than)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 15:09
S18 9	187	buffer\$2 with size\$2 with alignment\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 15:07
S76	251	((numa dma (direct near3 memory near3 access) (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access)) and (address\$2 same size\$2)) and (numa (non-uniform near3 memory near3 access) (non near5 uniform near3 memory near4 access))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/18 15:06